

AN·TRAX IT

Tavola & Tavoletta

.....


DESIGN ANDREA CROSETTA

Catalogo Tecnico




Tavola Liscia


DESIGN ANDREA CROSETTA




verticale
vertical
verticale
vertikal
vertical



orizzontale
horizontal
horizontale
horizontal
horizontal




A*		B*		I*		art*	L*	BTU Δt 50°	watt Δt 50°
cm	inches	cm	inches	cm	inches				
VERTICALE acqua calda / hot water / eau chaude / warm Wasser / agua caliente									
171	67.3	35	13.8	5	2.0	TV00LV171B	1,2	1 962	536
201	79.2	35	13.8	5	2.0	TV00LV201B	1,4	2 393	623
ORIZZONTALE acqua calda / hot water / eau chaude / warm Wasser / agua caliente									
171	67.3	35	13.8	5	2.0	TV00LO171B	1,2	1 962	523
201	79.2	35	13.8	5	2.0	TV00LO201B	1,4	2 393	616
VERTICALE elettrico / eletrical / électrique / elektrische / eléctrico									watt
171	67.3	35	13.8			TV00LEV171B			500
201	79.2	35	13.8			TV00LEV201B			600



art*
AVHCROM
cronotermostato digitale per versione elettrica a radio frequenza / digital chronothermostat for electric version / chronothermostat digital pour version électrique avec radiofréquence / der digital Chronothermostat für elektrische Ausführung mit Radiofrequenz cronotermostato digital para version electrica en radio frecuencia




art*
AVHRICC
ricevitore per cronotermostato digitale / receiver for digital chronothermostat receveur pour chronothermostat digital digital Chronothermostat Empfänger / receptor para cronotermostato digital






A* = altezza / height / hauteur / Höhe / alto B* = larghezza / width / longueur / Breite / ancho art* = articolo / model / modèle / Artikel / artículo P* = pagina / page / page / Seite / página
I* = interasse / pipe centres / distance entre départ et retour / Achsabstand / distancia entre las conexiones
L* = contenuto acqua / content / volume / Inhalt / volumen

AVC1021 AVC1002 	Colori/ colours / couleurs / Farbe / colores	Kcal = Watt x 0.860 BTU = Watt x 3.413
	[BIAN] B standard T + 10% S + 20% [RAL] S + 20% RAL non inclusi in tabella special Ral colours couleurs Ral spéciales RAL Farbe nicht in der Tabelle inbegriffen colores RAL especiales	Watt Δt 60° = Watt Δt 50° x 1.277 Watt Δt 40° = Watt Δt 50° x 0.741 Watt Δt 30° = Watt Δt 50° x 0.504 Watt Δt 20° = Watt Δt 50° x 0.292 p max = 5 bar

ANDREA CROSETTA **Tavola 3 Spacchi**


verticale
vertical
verticale
vertikal
vertical



[A] attacco standard
standard connection
raccord standard
standard Anschluss
conexión estándar




[H] attacco speciale
special connection
raccord spéciale
speziell Anschluss
conexión especial



A*		B*		I*					
cm	inches	cm	inches	cm	inches	art*	L*	BTU Δt 50°	watt Δt 50°
VERTICALE acqua calda / hot water / eau chaude / warm Wasser / agua caliente									
171	67.3	35	13.8	5	2.0	TV003V171B	1,2	1 962	536
201	79.2	35	13.8	5	2.0	TV003V201B	1,4	2 393	623


VERTICALE elettrico / electrical / électrique / elektrische / eléctrico						watt
171	67.3	35	13.8			500
201	79.2	35	13.8			600



art*
AVHCROM
cronotermostato digitale per versione elettrica a radio frequenza / digital chronothermostat for electric version / chronothermostat digital pour version électrique avec radiofréquence / der digital Chronothermostat für elektrische Ausführung mit Radiofrequenz / cronotermostato digital para version electrica en radio frecuencia



art*
AVHRICC
ricevitore per cronotermostato digitale / receiver for digital chronothermostat / receveur pour chronothermostat digital / digital Chronothermostat Empfänger / receptor para cronotermostato digital



A* = altezza / height / hauteur / Höhe / alto B* = larghezza / width / longueur / Breite / ancho art* = articolo / model / modèle / Artikel / artículo P* = pagina / page / page / Seite / página
I* = interasse / pipe centres / distance entre départ et retour / Achsabstand / distancia entre las conexiones
L* = contenuto acqua / content / volume / Inhalt / volumen

Kcal = Watt x 0.860
BTU = Watt x 3.413

Watt Δt 60° = Watt Δt 50° x 1.277
Watt Δt 40° = Watt Δt 50° x 0.741
Watt Δt 30° = Watt Δt 50° x 0.504
Watt Δt 20° = Watt Δt 50° x 0.292

p max = 5 bar

Colori/ colours / couleurs / Farbe / colores

[BIAN] B standard
T + 10%
S + 20%
[RAL] S + 20%
RAL non inclusi in tabella
special Ral colours
couleurs Ral spéciales
RAL Farbe nicht in der Tabelle inbegriffen
colores RAL especiales


AVC1021
AVC1002






TavolaSpecchio



DESIGN ANDREA CROSETTA



verticale
vertical
verticale
vertikal
vertical




orizzontale
horizontal
horizontale
horizontal
horizontal



A*		B*		I*					
cm	inches	cm	inches	cm	inches	art*	L*	BTU Δ t 50°	watt Δ t 50°
VERTICALE acqua calda / hot water / eau chaude / warm Wasser / agua caliente									
171	67.3	35	13.8	5	2.0	TV00SV171B	1,2	1 962	512
201	79.2	35	13.8	5	2.0	TV00SV201B	1,4	2 393	606
ORIZZONTALE acqua calda / hot water / eau chaude / warm Wasser / agua caliente									
171	67.3	35	13.8	5	2.0	TV00SO171B	1,2	1 962	499
201	79.2	35	13.8	5	2.0	TV00SO201B	1,4	2 393	599


VERTICALE elettrico / electrical / électrique / elektrische / eléctrico						watt	
171	67.3	35	13.8			TV00SEV171B	500
201	79.2	35	13.8			TV00SEV201B	600



art*
AVHCROM
cronotermostato digitale per versione elettrica a radio frequenza / digital chronothermostat for electric version / chronothermostat digital pour version électrique avec radiofréquence / der digital Chronothermostat für elektrische Ausführung mit Radiofrequenz cronotermostato digital para version electrica en radio frecuencia



art*
AVHRICC
ricevitore per cronotermostato digitale / receiver for digital chronothermostat receveur pour chronothermostat digital digital Chronothermostat Empfänger / receptor para cronotermostato digital




A* = altezza / height / hauteur / Höhe / alto B* = larghezza / width / longueur / Breite / ancho art* = articolo / model / modèle / Artikel / artículo P* = pagina / page / page / Seite / página
I* = interasse / pipe centres / distance entre départ et retour / Achsabstand / distancia entre las conexiones
L* = contenuto acqua / content / volume / Inhalt / volumen


AVC1021 AVC1002 	Colori/ colours / couleurs / Farbe / colores	Kcal = Watt x 0.860 BTU = Watt x 3.413
	[BIAN] B standard T + 10% S + 20% [RAL] S + 20% RAL non inclusi in tabella special Ral colours couleurs Ral spéciales RAL Farbe nicht in der Tabelle inbegriffen colores RAL especiales	Watt Δt 60° = Watt Δt 50° x 1.277 Watt Δt 40° = Watt Δt 50° x 0.741 Watt Δt 30° = Watt Δt 50° x 0.504 Watt Δt 20° = Watt Δt 50° x 0.292 p max = 5 bar

DESIGN ANDREA CROSETTA

Tavola Porta Accappatoio



verticale
vertical
vertical
vertical
vertikal
vertical



35 CM


171/201 CM

5 CM

[A] attacco standard
standard connection
raccord standard
standard Anschluss
conexión estándar




[H] attacco speciale
special connection
raccord spéciale
speziell Anschluss
conexión especial



A*		B*		I*					
cm	inches	cm	inches	cm	inches	art*	L*	BTU Δt 50°	watt Δt 50°
VERTICALE acqua calda / hot water / eau chaude / warm Wasser / agua caliente									
171	67.3	35	13.8	5	2.0	TV00PV171B	1,2	1 962	536
201	79.2	35	13.8	5	2.0	TV00PV201B	1.4	2 393	623

VERTICALE elettrico / electrical / électrique / elektrische / eléctrico					watt
171	67.3	35	13.8	TV00PEV171B	500
201	79.2	35	13.8	TV00PEV201B	600



art*

AVHCROM


cronotermostato digitale per versione elettrica a radio frequenza / digital chronothermostat for electric version / chronothermostat digital pour version électrique avec radiofréquence / der digital Chronothermostat für elektrische Ausführung mit Radiofrequenz
cronotermostato digital para version electrica en radio frecuencia



art*

AVHRICC

ricevitore per cronotermostato digitale / receiver for digital chronothermostat
receveur pour chronothermostat digital
digital Chronothermostat Empfänger / receptor para cronotermostato digital



A* = altezza / height / hauteur / Höhe / alto B* = larghezza / width / longueur / Breite / ancho art* = articolo / model / modèle / Artikel / artículo P* = pagina / page / page / Seite / página
I* = interasse / pipe centres / distance entre départ et retour / Achsabstand / distancia entre las conexiones
L* = contenuto acqua / content / volume / Inhalt / volumen

Kcal = Watt x 0.860
BTU = Watt x 3.413

Watt Δt 60° = Watt Δt 50° x 1.277
Watt Δt 40° = Watt Δt 50° x 0.741
Watt Δt 30° = Watt Δt 50° x 0.504
Watt Δt 20° = Watt Δt 50° x 0.292

p max = 5 bar

Colori/ colours / couleurs / Farbe / colores

[BIAN]

B standard
T + 10%
S + 20%


[RAL]

S + 20%
RAL non inclusi in tabella
special Ral colours
couleurs Ral spéciales
RAL Farbe nicht in der Tabelle inbegriffen
colores RAL especiales

AVC1021
AVC1002



[A] attacco standard
standard connection
raccord standard
standard Anschluss
conexión estándar




AVC1021_
AVC1002_





• 78

P* 120


[H] attacco speciale **SOVATTINC + • 20**
special connection
raccord spéciale
speziell Anschluss
conexión especial



Max 3 radiatori / Max 3 radiators
Max 3 radiateurs / Max 3 radiadores
Max 3 Heizkörper



AVC0591_



• 160

ari*






ACAPFP

Porta accappatoio (1 pz) / towel hook / crochet / das Bügel / percha



DESIGN ANDREA CROSETTA

Tavoletta



A*		B*			
cm	inches	cm	inches	cm	inches
LONG elettrico / eletrical / électrique / elektrische / eléctrico					
18	7,1	40	15,7		
18	7,1	60	23,6		
18	7,1	80	31,5		
18	7,1	100	39,4		

cm	inches	cm	inches	cm	inches
SHORT elettrico / eletrical / électrique / elektrische / eléctrico					
18	7,1	40	15,7		
18	7,1	60	23,6		
18	7,1	80	31,5		
18	7,1	100	39,4		

art*			watt
TV00LFE040B			55
TV00LFE060B			85
TV00LFE080B			110
TV00LFE0100B			135

art*			watt
TV00SFE040B			55
TV00SFE060B			85
TV00SFE080B			110
TV00SFE0100B			135

art*


AVHCROM

cronotermostato digitale per versione elettrica a radio frequenza / digital chronothermostat for electric version / chronothermostat digital pour version électrique avec radiofréquence / der digital Chronothermostat für elektrische Ausführung mit Radiofrequenz
cronotermostato digital para version electrica en radio frecuencia

art*

AVHRICC

ricevitore per cronotermostato digitale / receiver for digital chronothermostat
receveur pour chronothermostat digital
digital Chronothermostat Empfänger / receptor para cronotermostato digital



A* = altezza / height / hauteur / Höhe / alto B* = larghezza / width / longueur / Breite / ancho art* = articolo / model / modèle / Artikel / artículo P* = pagina / page / page / Seite / página
I* = interasse / pipe centres / distance entre depart et retour / Achsabstand / distancia entre las conexiones

Colori/ colours / couleurs / Farbe / colores

[BIAN] B standard
T + 10%
S + 20%
[RAL] S + 20%
RAL non inclusi in tabella
special Ral colours
couleurs Ral spéciales
RAL Farbe nicht in der Tabelle inbegriffen
colores RAL especiales

ANTRAX IT SRL
VIA BOSCALTO 40
31023 RESANA TV
TEL. +39 0423 7174
FAX. +39 0423 717474
WWW.ANTRAX.IT
ANTRAX@ANTRAX.IT